Personal Safety and Protective Clothing-

Modified by Bruce Williams for Kenya 2011

Stephen J. Toth, Jr.

Department of Entomology

North Carolina State University


Wayne G. Buhler
Department of Horticultural Science
North Carolina State University



Types of Toxicity to Pesticides

- Acute: adverse effects following a brief exposure (i.e., minutes or hours) to a pesticide; symptoms are usually obvious and reversible
- <u>Chronic</u>: adverse effects following prolonged exposure (i.e., weeks or years) to a pesticide; usually results from repeated doses of the pesticide
- Allergic: immune system response to pesticides; permanent and worsens with recurrent exposures; allergy can extend to similar substances; can be fatal

Routes of Exposure to Pesticides



Graphics from Greg Cope, Dept. of Toxicology, NC State University.

Means of Exposure to Pesticides

- <u>Inhalation (nose and lungs)</u>: breathing dusts and vapors of pesticides
- Oral (mouth and stomach): eating, drinking or smoking with unwashed hands after handling pesticides; eating unwashed foods containing pesticide residues
- <u>Dermal (eyes and skin)</u>: pesticide spills and splashes, open cuts in skin, inadequate protective clothing when applying pesticides

Effects of Acute Toxicity to Pesticides

- <u>Inhalation (nose and lungs)</u>: pain or tightness in the chest
- Oral (mouth and stomach): burning in mouth, sore throat, upset stomach
- <u>Dermal (eyes)</u>: irritation, temporary or permanent blindness
- Dermal (skin): itching, blisters, rash


North Carolina Pesticide Applicator Training Program





Symptoms of Acute Toxicity to Pesticides

- Blurred vision
- Diarrhea
- Dizziness
- Excessive sweating
- Fatigue
- Headache
- Vomiting
- Stomach cramps



North Carolina Pesticide Applicator Training Program

Effects of Chronic Toxicity to Pesticides

- Tumors
- Genetic effects
- Miscarriages
- Impotence

- Birth defects
- Infertility
- Sterility
- Nervous system disorders

These effects may result from a single pesticide exposure that does not become apparent until much later; or from repeated exposures to pesticides over a long period of time.

Allergic Reactions to Pesticides

- Systemic: asthma, shock
- Skin irritation: rashes, blisters, sores
- Eyes and nose: itchy and watery eyes, sneezing

Emergency Response to Pesticide Poisonings

- Administer first aid
- Call physician or go to a hospital
- Take pesticide label or container with you
- Call a poison control center (Carolinas Poison Center at 1-800-848-6946 or 1-800-84-TOXIN)



North Carolina Pesticide
Applicator Training Program

First Aid for Pesticide Poisoning Dermal Exposure (Skin)

- Drench skin with water
- Remove contaminated clothes
- Wash body with mild soap and water
- Do not allow victim to chill or overheat



North Carolina Pesticide Applicator Training Program

- Apply loose, clean and dry covering to burns
- Do not apply ointments unless prescribed by physician

First Aid for Pesticide Poisoning Dermal Exposure (Eyes)

- Wash eyes quickly, but gently with water or commercial eye wash
- Rinse eyes with cool, clean water for 15 or more minutes
- Do not use chemicals or drugs in rinse water



First Aid for Pesticide Poisoning Oral Exposure

- Rinse mouth with plenty of water
- Drink water or milk (up to one quart)
- Induce vomiting only if instructed to do so by the product label



North Carolina Pesticide Applicator Training Program

First Aid for Pesticide Poisoning Inhalation Exposure

- Get victim to fresh air immediately
- Loosen tight clothing on victim that might constrict breathing
- Apply artificial respiration if victim has stopped breathing



North Carolina Pesticide Applicator Training Program

Personal Protective Equipment (PPE) Minimum Body Protection

- Long-sleeved shirt
- Long-legged pants
- Chemical resistant boots
- Chemical resistant gloves
- Wide brimmed hard hat
- Eye goggles (if needed)
- Chemical resistant apron
 (when mixing and loading)



North Carolina Pesticide Applicator Training Program

Personal Protective Equipment (PPE) Types of Protective Clothing

Chemical Resistant:

- Rubber
- Neoprene
- Plastic
- Nonwoven fabric coated with plastic or other material

Non Chemical Resistant:

- Cotton
- Leather
- Canvas

Personal Protective Equipment (PPE) Chemical Resistant Clothing

- Body suits
- Hoods
- Gloves
- Footwear
- Hats
- Aprons



North Carolina Pesticide Applicator Training Program

Personal Protective Equipment (PPE) Chemical Resistant Clothing

 Need the maximum protection when mixing and loading pesticides, handling concentrated

chemical

North Carolina Pesticide Applicator Training Program



Personal Protective Equipment (PPE) Reusable Protective Clothing

- Chemical resistant, can be cleaned and reused
- Suits, hoods, gloves, boots: rubber or plastic; inspect thoroughly before each use
- Fabric coveralls: do not clean and reuse if contaminated with concentrated pesticide
- Eyewear, respirators, helmets: can be cleaned and reused



North Carolina Pesticide Applicator Training Program

Personal Protective Equipment (PPE) Disposable Protective Clothing

- Chemical resistant, but can not be cleaned of pesticide
- Nonwoven fabric coated with plastic
- Suits, hoods and footwear
- Dust masks and some respirators



North Carolina Pesticide Applicator Training Program 03/06/11

Personal Protective Equipment (PPE) Types of Respirators

- <u>Air-supplying respirators</u>: supply user with clean, uncontaminated air from independent source; use if oxygen supply is low or fumigating enclosed areas
- Air-purifying respirators: include dust masks, devices containing a body and cartridges with air-purifying materials, and devices containing a body and canister with air-purifying material (gas



North Carolina Pesticide Applicator Training Program

Personal Protective Equipment (PPE) Air-Purifying Respirators

- <u>Fit test</u>: perform before first use of a respirator
- Fit check: perform before each use of the respirator
- Wash respirator after each use
- Store clean and dry





Personal Protective Equipment (PPE) Handling Fumigants

- Small amounts of fumigants can be fatal (they are extremely toxic gases)
- Must wear the proper respirator for the fumigant you are applying
- Should wear the respirator during all exposures (i.e., applying chemical, removing tarp, etc.)
- Never work alone when applying fumigants
- Indoors: use an air-supplied respirator

Personal Protective Equipment (PPE) Washing Protective Clothing

• Wash the clothes in which you apply pesticides separately from other clothing

North Carolina Pesticide Applicator Training Program



Personal Protective Equipment (PPE) Washing Protective Clothing

- Wear gloves and work in well-ventilated area
- Rinse clothing (hand rinse or washing machine)
- Wash a few items at a time in washing machine
- Rinse clothes twice
- Use two entire wash cycles if necessary
- Run machine one cycle after removing clothes (to remove any pesticide residues from washer)
- DO NOT wash badly-contaminated clothing